


# 2:1 Normal Wall Heatshrink Tubing multicomp<sup>PRO</sup>

RoHS  
Compliant



## Applications

The heat shrink tubing is manufactured with modified radiation cross-linked polyolefin. The specially designed halogen free formulation makes the tubing very flexible and shrink at lower temperature. Suitable for applications where temperature sensitive components protection, e.g. PVC jacketed wire and cable and quick shrinkage is required. It has good mechanical and electrical performances.

## Characteristics:

- Halogen Free
- Operating temperature -55°C to +125°C
- Min. shrink temperature 70°C  
Full recovery temperature: 120°C
- Shrink Ratio 2:1
- Meets Sony-SS-00259
- Standard Colours: Black, Brown, Blue, White, Red, Yellow

## Technical Data:

| Property                                              | Test Method   | Standard Value           |
|-------------------------------------------------------|---------------|--------------------------|
| Tensile Strength                                      | ASTM D2671    | ≥10.4 Mpa                |
| Ultimate Elongation                                   | ASTM D2671    | ≥200%                    |
| Longitudinal Shrinkage                                | UL 224        | ±5%                      |
| Heat Aging<br>Tensile Strength<br>Ultimate Elongation | 158°C, 168hrs | ≥7.3 Mpa<br>≥100%        |
| Heat shock                                            | 250°C, 4hrs   | No cracking, No dripping |
| Flammability                                          | FMVSS302      | Pass                     |
| Dielectric Strength                                   | ASTM D150     | ≥15 kV/mm                |
| Volume Resistivity                                    | ASTM D2671    | ≥1x10 <sup>14</sup> Ωcm  |
| Copper Stability                                      | UL224         | Pass                     |
| Copper Corrosion                                      | UL224         | No corrosion             |

## Product Dimensions:

| Size |     | As supplied            |                     | After Recovery            |                        |
|------|-----|------------------------|---------------------|---------------------------|------------------------|
| Inch | mm  | Internal diameter (mm) | Wall thickness (mm) | Internal diameter Max(mm) | Wall thickness Nom(mm) |
| 1/16 | 1.6 | 1.5 ±0.2               | 0.2 ±0.05           | 0.65                      | 0.36 ±0.1              |
| 3/32 | 2.4 | 2.5 ±0.2               | 0.2 ±0.05           | 1                         | 0.45 ±0.1              |
| 1/8  | 3.2 | 3.5 ±0.2               | 0.2 ±0.05           | 1.5                       | 0.45 ±0.1              |
| 3/16 | 4.8 | 5 ±0.2                 | 0.28 ±0.05          | 2.3                       | 0.56 ±0.1              |

Newark.com/multicomp-pro  
Farnell.com/multicomp-pro  
sg.element14.com/b/multicomp-pro

multicomp<sup>PRO</sup>

# 2:1 Normal Wall Heatshrink Tubing **multicomp**PRO

| Size  |      | As supplied            |                     | After Recovery            |                        |
|-------|------|------------------------|---------------------|---------------------------|------------------------|
| Inch  | mm   | Internal diameter (mm) | Wall thickness (mm) | Internal diameter Max(mm) | Wall thickness Nom(mm) |
| 1/4   | 6.4  | 6.5 ±0.2               | 0.28 ±0.05          | 3                         | 0.56 ±0.1              |
| 3/8   | 9.5  | 9.5 ±0.3               | 0.3 ±0.08           | 4.5                       | 0.56 ±0.1              |
| 1/2   | 12.7 | 12.5 ±0.3              | 0.3 ±0.08           | 6                         | 0.56 ±0.1              |
| 3/4   | 19   | 19 ±0.5                | 0.35 ±0.1           | 9                         | 0.7 ±0.1               |
| 1     | 25.4 | 26 ±0.5                | 0.45 ±0.12          | 12.5                      | 0.9 ±0.15              |
| 1-1/2 | 38.1 | 41.5 ±1                | 0.5 ±0.12           | 20                        | 1 ±0.15                |
| 2     | 50.8 | ≥50                    | 0.5 ±0.15           | 25                        | 1.1 ±0.2               |

## Part Number Table

| Description                                    | Reel Length | Part Number | Description                                     | Reel Length | Part Number |
|------------------------------------------------|-------------|-------------|-------------------------------------------------|-------------|-------------|
| Heatshrink Tubing Normal Wall 2:1 Black 1.6mm  | 100m        | 13633       | Heatshrink Tubing Normal Wall 2:1 Red 19mm      | 100m        | 13673       |
| Heatshrink Tubing Normal Wall 2:1 Black 2.4mm  | 100m        | 13634       | Heatshrink Tubing Normal Wall 2:1 Red 25.4mm    | 50m         | 13674       |
| Heatshrink Tubing Normal Wall 2:1 Black 3.2mm  | 100m        | 13635       | Heatshrink Tubing Normal Wall 2:1 Red 38.1mm    | 50m         | 13675       |
| Heatshrink Tubing Normal Wall 2:1 Black 4.8mm  | 100m        | 13636       | Heatshrink Tubing Normal Wall 2:1 Red 50.8mm    | 25m         | 13676       |
| Heatshrink Tubing Normal Wall 2:1 Black 6.4mm  | 100m        | 13637       | Heatshrink Tubing Normal Wall 2:1 Red 1.6mm     | 5m          | 15045       |
| Heatshrink Tubing Normal Wall 2:1 Black 9.5mm  | 100m        | 13638       | Heatshrink Tubing Normal Wall 2:1 Red 2.4mm     | 5m          | 15046       |
| Heatshrink Tubing Normal Wall 2:1 Black 12.7mm | 100m        | 13639       | Heatshrink Tubing Normal Wall 2:1 Red 3.2mm     | 5m          | 15047       |
| Heatshrink Tubing Normal Wall 2:1 Black 19mm   | 100m        | 13640       | Heatshrink Tubing Normal Wall 2:1 Red 4.8mm     | 5m          | 15048       |
| Heatshrink Tubing Normal Wall 2:1 Black 25.4mm | 50m         | 13641       | Heatshrink Tubing Normal Wall 2:1 Red 6.4mm     | 5m          | 15049       |
| Heatshrink Tubing Normal Wall 2:1 Black 38.1mm | 50m         | 13642       | Heatshrink Tubing Normal Wall 2:1 Red 9.5mm     | 5m          | 15050       |
| Heatshrink Tubing Normal Wall 2:1 Black 50.8mm | 25m         | 13643       | Heatshrink Tubing Normal Wall 2:1 Red 12.7mm    | 5m          | 15051       |
| Heatshrink Tubing Normal Wall 2:1 Black 1.6mm  | 5m          | 13644       | Heatshrink Tubing Normal Wall 2:1 Red 19mm      | 5m          | 15052       |
| Heatshrink Tubing Normal Wall 2:1 Black 2.4mm  | 5m          | 13645       | Heatshrink Tubing Normal Wall 2:1 Red 25.4mm    | 5m          | 15053       |
| Heatshrink Tubing Normal Wall 2:1 Black 3.2mm  | 5m          | 13646       | Heatshrink Tubing Normal Wall 2:1 Red 38.1mm    | 5m          | 15054       |
| Heatshrink Tubing Normal Wall 2:1 Black 4.8mm  | 5m          | 13647       | Heatshrink Tubing Normal Wall 2:1 Red 50.8mm    | 5m          | 15055       |
| Heatshrink Tubing Normal Wall 2:1 Black 6.4mm  | 5m          | 13648       | Heatshrink Tubing Normal Wall 2:1 Yellow 2.4mm  | 100m        | 13678       |
| Heatshrink Tubing Normal Wall 2:1 Black 9.5mm  | 5m          | 13649       | Heatshrink Tubing Normal Wall 2:1 Yellow 3.2mm  | 100m        | 13679       |
| Heatshrink Tubing Normal Wall 2:1 Black 12.7mm | 5m          | 13650       | Heatshrink Tubing Normal Wall 2:1 Yellow 4.8mm  | 100m        | 13680       |
| Heatshrink Tubing Normal Wall 2:1 Black 19mm   | 5m          | 13651       | Heatshrink Tubing Normal Wall 2:1 Yellow 6.4mm  | 100m        | 13681       |
| Heatshrink Tubing Normal Wall 2:1 Black 25.4mm | 5m          | 13652       | Heatshrink Tubing Normal Wall 2:1 Yellow 9.5mm  | 100m        | 13682       |
| Heatshrink Tubing Normal Wall 2:1 Black 38.1mm | 5m          | 13653       | Heatshrink Tubing Normal Wall 2:1 Yellow 12.7mm | 100m        | 13683       |
| Heatshrink Tubing Normal Wall 2:1 Black 50.8mm | 5m          | 13654       | Heatshrink Tubing Normal Wall 2:1 Yellow 19mm   | 100m        | 13684       |
| Heatshrink Tubing Normal Wall 2:1 Red 1.6mm    | 100m        | 13666       | Heatshrink Tubing Normal Wall 2:1 Yellow 25.4mm | 50m         | 13685       |
| Heatshrink Tubing Normal Wall 2:1 Red 2.4mm    | 100m        | 13667       | Heatshrink Tubing Normal Wall 2:1 Yellow 38.1mm | 50m         | 13686       |
| Heatshrink Tubing Normal Wall 2:1 Red 3.2mm    | 100m        | 13668       | Heatshrink Tubing Normal Wall 2:1 Yellow 50.8mm | 25m         | 13687       |
| Heatshrink Tubing Normal Wall 2:1 Red 4.8mm    | 100m        | 13669       | Heatshrink Tubing Normal Wall 2:1 Yellow 1.6mm  | 5m          | 15056       |
| Heatshrink Tubing Normal Wall 2:1 Red 6.4mm    | 100m        | 13670       | Heatshrink Tubing Normal Wall 2:1 Yellow 2.4mm  | 5m          | 15057       |
| Heatshrink Tubing Normal Wall 2:1 Red 9.5mm    | 100m        | 13671       | Heatshrink Tubing Normal Wall 2:1 Yellow 3.2mm  | 5m          | 15058       |
| Heatshrink Tubing Normal Wall 2:1 Red 12.7mm   | 100m        | 13672       | Heatshrink Tubing Normal Wall 2:1 Yellow 4.8mm  | 5m          | 15059       |

Newark.com/multicomp-pro  
Farnell.com/multicomp-pro  
sg.element14.com/b/multicomp-pro

**multicomp**PRO

# 2:1 Normal Wall Heatshrink Tubing multicomp<sup>PRO</sup>

| Description                                     | Reel Length | Part Number | Description                                      | Reel Length | Part Number |
|-------------------------------------------------|-------------|-------------|--------------------------------------------------|-------------|-------------|
| Heatshrink Tubing Normal Wall 2:1 Yellow 6.4mm  | 5m          | 15060       | Heatshrink Tubing Normal Wall 2:1 Blue 3.2mm     | 5m          | 15080       |
| Heatshrink Tubing Normal Wall 2:1 Yellow 9.5mm  | 5m          | 15061       | Heatshrink Tubing Normal Wall 2:1 Blue 4.8mm     | 5m          | 15081       |
| Heatshrink Tubing Normal Wall 2:1 Yellow 12.7mm | 5m          | 15062       | Heatshrink Tubing Normal Wall 2:1 Blue 6.4mm     | 5m          | 15082       |
| Heatshrink Tubing Normal Wall 2:1 Yellow 19mm   | 5m          | 15063       | Heatshrink Tubing Normal Wall 2:1 Blue 9.5mm     | 5m          | 15083       |
| Heatshrink Tubing Normal Wall 2:1 Yellow 25.4mm | 5m          | 15064       | Heatshrink Tubing Normal Wall 2:1 Blue 12.7mm    | 5m          | 15084       |
| Heatshrink Tubing Normal Wall 2:1 Yellow 38.1mm | 5m          | 15065       | Heatshrink Tubing Normal Wall 2:1 Blue 19mm      | 5m          | 15085       |
| Heatshrink Tubing Normal Wall 2:1 Yellow 50.8mm | 5m          | 15066       | Heatshrink Tubing Normal Wall 2:1 Blue 25.4mm    | 5m          | 15086       |
| Heatshrink Tubing Normal Wall 2:1 White 1.6mm   | 100m        | 13688       | Heatshrink Tubing Normal Wall 2:1 Blue 38.1mm    | 5m          | 15087       |
| Heatshrink Tubing Normal Wall 2:1 White 2.4mm   | 100m        | 13689       | Heatshrink Tubing Normal Wall 2:1 Blue 50.8mm    | 5m          | 15088       |
| Heatshrink Tubing Normal Wall 2:1 White 3.2mm   | 100m        | 13690       | Heatshrink Tubing Normal Wall 2:1 Brown 1.6mm    | 100m        | 13721       |
| Heatshrink Tubing Normal Wall 2:1 White 4.8mm   | 100m        | 13691       | Heatshrink Tubing Normal Wall 2:1 Brown 2.4mm    | 100m        | 13722       |
| Heatshrink Tubing Normal Wall 2:1 White 6.4mm   | 100m        | 13692       | Heatshrink Tubing Normal Wall 2:1 Brown 3.2mm    | 100m        | 13723       |
| Heatshrink Tubing Normal Wall 2:1 White 9.5mm   | 100m        | 13693       | Heatshrink Tubing Normal Wall 2:1 Brown 4.8mm    | 100m        | 13724       |
| Heatshrink Tubing Normal Wall 2:1 White 12.7mm  | 100m        | 13694       | Heatshrink Tubing Normal Wall 2:1 Brown 6.4mm    | 100m        | 13725       |
| Heatshrink Tubing Normal Wall 2:1 White 19mm    | 100m        | 13695       | Heatshrink Tubing Normal Wall 2:1 Brown 9.5mm    | 100m        | 13726       |
| Heatshrink Tubing Normal Wall 2:1 White 25.4mm  | 50m         | 13696       | Heatshrink Tubing Normal Wall 2:1 Brown 12.7mm   | 100m        | 13727       |
| Heatshrink Tubing Normal Wall 2:1 White 38.1mm  | 50m         | 13697       | Heatshrink Tubing Normal Wall 2:1 Brown 19mm     | 100m        | 13728       |
| Heatshrink Tubing Normal Wall 2:1 White 50.8mm  | 25m         | 13698       | Heatshrink Tubing Normal Wall 2:1 Brown 25.4mm   | 50m         | 13729       |
| Heatshrink Tubing Normal Wall 2:1 White 1.6mm   | 5m          | 15067       | Heatshrink Tubing Normal Wall 2:1 Brown 38.1mm   | 50m         | 13730       |
| Heatshrink Tubing Normal Wall 2:1 White 2.4mm   | 5m          | 15068       | Heatshrink Tubing Normal Wall 2:1 Brown 50.8mm   | 25m         | 13731       |
| Heatshrink Tubing Normal Wall 2:1 White 3.2mm   | 5m          | 15069       | Heatshrink Tubing Normal Wall 2:1 Brown 1.6mm    | 5m          | 15100       |
| Heatshrink Tubing Normal Wall 2:1 White 4.8mm   | 5m          | 15070       | Heatshrink Tubing Normal Wall 2:1 Brown 2.4mm    | 5m          | 15101       |
| Heatshrink Tubing Normal Wall 2:1 White 6.4mm   | 5m          | 15071       | Heatshrink Tubing Normal Wall 2:1 Brown 3.2mm    | 5m          | 15102       |
| Heatshrink Tubing Normal Wall 2:1 White 9.5mm   | 5m          | 15072       | Heatshrink Tubing Normal Wall 2:1 Brown 4.8mm    | 5m          | 15103       |
| Heatshrink Tubing Normal Wall 2:1 White 12.7mm  | 5m          | 15073       | Heatshrink Tubing Normal Wall 2:1 Brown 6.4mm    | 5m          | 15104       |
| Heatshrink Tubing Normal Wall 2:1 White 19mm    | 5m          | 15074       | Heatshrink Tubing Normal Wall 2:1 Brown 9.5mm    | 5m          | 15105       |
| Heatshrink Tubing Normal Wall 2:1 White 25.4mm  | 5m          | 15075       | Heatshrink Tubing Normal Wall 2:1 Brown 12.7mm   | 5m          | 15106       |
| Heatshrink Tubing Normal Wall 2:1 White 38.1mm  | 5m          | 15076       | Heatshrink Tubing Normal Wall 2:1 Brown 19mm     | 5m          | 15107       |
| Heatshrink Tubing Normal Wall 2:1 White 50.8mm  | 5m          | 15077       | Heatshrink Tubing Normal Wall 2:1 Brown 25.4mm   | 5m          | 15108       |
| Heatshrink Tubing Normal Wall 2:1 Blue 1.6mm    | 100m        | 13699       | Heatshrink Tubing Normal Wall 2:1 Brown 38.1mm   | 5m          | 15109       |
| Heatshrink Tubing Normal Wall 2:1 Blue 2.4mm    | 100m        | 13700       | Heatshrink Tubing Normal Wall 2:1 Brown 50.8mm   | 5m          | 15110       |
| Heatshrink Tubing Normal Wall 2:1 Blue 3.2mm    | 100m        | 13701       | Heatshrink Tubing Normal Wall 2:1, Black, 1.2mm  | 1.2m        | PP002706    |
| Heatshrink Tubing Normal Wall 2:1 Blue 4.8mm    | 100m        | 13702       | Heatshrink Tubing Normal Wall 2:1, Black, 1.6mm  | 1.2m        | PP002707    |
| Heatshrink Tubing Normal Wall 2:1 Blue 6.4mm    | 100m        | 13703       | Heatshrink Tubing Normal Wall 2:1, Black, 2.4mm  | 1.2m        | PP002708    |
| Heatshrink Tubing Normal Wall 2:1 Blue 9.5mm    | 100m        | 13704       | Heatshrink Tubing Normal Wall 2:1, Black, 3.2mm  | 1.2m        | PP002709    |
| Heatshrink Tubing Normal Wall 2:1 Blue 12.7mm   | 100m        | 13705       | Heatshrink Tubing Normal Wall 2:1, Black, 4.8mm  | 1.2m        | PP002710    |
| Heatshrink Tubing Normal Wall 2:1 Blue 19mm     | 100m        | 13706       | Heatshrink Tubing Normal Wall 2:1, Black, 6.4mm  | 1.2m        | PP002711    |
| Heatshrink Tubing Normal Wall 2:1 Blue 25.4mm   | 50m         | 13707       | Heatshrink Tubing Normal Wall 2:1, Black, 7.9mm  | 1.2m        | PP002712    |
| Heatshrink Tubing Normal Wall 2:1 Blue 38.1mm   | 50m         | 13708       | Heatshrink Tubing Normal Wall 2:1, Black, 9.5mm  | 1.2m        | PP002713    |
| Heatshrink Tubing Normal Wall 2:1 Blue 50.8mm   | 25m         | 13709       | Heatshrink Tubing Normal Wall 2:1, Black, 12.7mm | 1.2m        | PP002714    |
| Heatshrink Tubing Normal Wall 2:1 Blue 1.6mm    | 5m          | 15078       | Heatshrink Tubing Normal Wall 2:1, Black, 19mm   | 1.2m        | PP002715    |
| Heatshrink Tubing Normal Wall 2:1 Blue 2.4mm    | 5m          | 15079       | Heatshrink Tubing Normal Wall 2:1, Black, 25.4mm | 1.2m        | PP002716    |

Newark.com/multicomp-pro  
Farnell.com/multicomp-pro  
sg.element14.com/b/multicomp-pro

**multicomp<sup>PRO</sup>**

# 2:1 Normal Wall Heatshrink Tubing **multicomp**PRO

| Description                                       | Reel Length | Part Number | Description                                      | Reel Length | Part Number |
|---------------------------------------------------|-------------|-------------|--------------------------------------------------|-------------|-------------|
| Heatshrink Tubing Normal Wall 2:1, Black, 38.1mm  | 1.2m        | PP002718    | Heatshrink Tubing Normal Wall 2:1, White, 4.8mm  | 1.2m        | PP002760    |
| Heatshrink Tubing Normal Wall 2:1, Black, 50.8mm  | 1.2m        | PP002719    | Heatshrink Tubing Normal Wall 2:1, White, 6.4mm  | 1.2m        | PP002761    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 1.2mm   | 1.2m        | PP002720    | Heatshrink Tubing Normal Wall 2:1, White, 9.5mm  | 1.2m        | PP002762    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 1.6mm   | 1.2m        | PP002721    | Heatshrink Tubing Normal Wall 2:1, White, 12.7mm | 1.2m        | PP002763    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 2.4mm   | 1.2m        | PP002722    | Heatshrink Tubing Normal Wall 2:1, White, 19mm   | 1.2m        | PP002764    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 3.2mm   | 1.2m        | PP002723    | Heatshrink Tubing Normal Wall 2:1, White, 25.4mm | 1.2m        | PP002765    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 4.8mm   | 1.2m        | PP002724    | Heatshrink Tubing Normal Wall 2:1, White, 38.1mm | 1.2m        | PP002766    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 6.4mm   | 1.2m        | PP002725    | Heatshrink Tubing Normal Wall 2:1, White, 50.8mm | 1.2m        | PP002767    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 9.5mm   | 1.2m        | PP002726    | Heatshrink Tubing Normal Wall 2:1, Blue, 1.2mm   | 1.2m        | PP002768    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 12.7mm  | 1.2m        | PP002727    | Heatshrink Tubing Normal Wall 2:1, Blue, 1.6mm   | 1.2m        | PP002769    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 19mm    | 1.2m        | PP002728    | Heatshrink Tubing Normal Wall 2:1, Blue, 2.4mm   | 1.2m        | PP002770    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 25.4mm  | 1.2m        | PP002729    | Heatshrink Tubing Normal Wall 2:1, Blue, 3.2mm   | 1.2m        | PP002771    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 38.1mm  | 1.2m        | PP002730    | Heatshrink Tubing Normal Wall 2:1, Blue, 4.8mm   | 1.2m        | PP002772    |
| Heatshrink Tubing Normal Wall 2:1, Clear, 50.8mm  | 1.2m        | PP002731    | Heatshrink Tubing Normal Wall 2:1, Blue, 6.4mm   | 1.2m        | PP002773    |
| Heatshrink Tubing Normal Wall 2:1, Red, 1.2mm     | 1.2m        | PP002732    | Heatshrink Tubing Normal Wall 2:1, Blue, 9.5mm   | 1.2m        | PP002774    |
| Heatshrink Tubing Normal Wall 2:1, Red, 1.6mm     | 1.2m        | PP002733    | Heatshrink Tubing Normal Wall 2:1, Blue, 12.7mm  | 1.2m        | PP002775    |
| Heatshrink Tubing Normal Wall 2:1, Red, 2.4mm     | 1.2m        | PP002734    | Heatshrink Tubing Normal Wall 2:1, Blue, 19mm    | 1.2m        | PP002776    |
| Heatshrink Tubing Normal Wall 2:1, Red, 3.2mm     | 1.2m        | PP002735    | Heatshrink Tubing Normal Wall 2:1, Blue, 25.4mm  | 1.2m        | PP002777    |
| Heatshrink Tubing Normal Wall 2:1, Red, 4.8mm     | 1.2m        | PP002736    | Heatshrink Tubing Normal Wall 2:1, Blue, 38.1mm  | 1.2m        | PP002778    |
| Heatshrink Tubing Normal Wall 2:1, Red, 6.4mm     | 1.2m        | PP002737    | Heatshrink Tubing Normal Wall 2:1, Blue, 50.8mm  | 1.2m        | PP002779    |
| Heatshrink Tubing Normal Wall 2:1, Red, 9.5mm     | 1.2m        | PP002738    | Heatshrink Tubing Normal Wall 2:1, Brown, 1.2mm  | 1.2m        | PP002780    |
| Heatshrink Tubing Normal Wall 2:1, Red, 12.7mm    | 1.2m        | PP002739    | Heatshrink Tubing Normal Wall 2:1, Brown, 1.6mm  | 1.2m        | PP002781    |
| Heatshrink Tubing Normal Wall 2:1, Red, 19mm      | 1.2m        | PP002740    | Heatshrink Tubing Normal Wall 2:1, Brown, 2.4mm  | 1.2m        | PP002782    |
| Heatshrink Tubing Normal Wall 2:1, Red, 25.4mm    | 1.2m        | PP002741    | Heatshrink Tubing Normal Wall 2:1, Brown, 3.2mm  | 1.2m        | PP002783    |
| Heatshrink Tubing Normal Wall 2:1, Red, 38.1mm    | 1.2m        | PP002742    | Heatshrink Tubing Normal Wall 2:1, Brown, 4.8mm  | 1.2m        | PP002784    |
| Heatshrink Tubing Normal Wall 2:1, Red, 50.8mm    | 1.2m        | PP002743    | Heatshrink Tubing Normal Wall 2:1, Brown, 6.4mm  | 1.2m        | PP002785    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 1.2mm  | 1.2m        | PP002744    | Heatshrink Tubing Normal Wall 2:1, Brown, 9.5mm  | 1.2m        | PP002786    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 1.6mm  | 1.2m        | PP002745    | Heatshrink Tubing Normal Wall 2:1, Brown, 12.7mm | 1.2m        | PP002787    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 2.4mm  | 1.2m        | PP002746    | Heatshrink Tubing Normal Wall 2:1, Brown, 19mm   | 1.2m        | PP002788    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 3.2mm  | 1.2m        | PP002747    | Heatshrink Tubing Normal Wall 2:1, Brown, 25.4mm | 1.2m        | PP002789    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 4.8mm  | 1.2m        | PP002748    | Heatshrink Tubing Normal Wall 2:1, Brown, 38.1mm | 1.2m        | PP002790    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 6.4mm  | 1.2m        | PP002749    | Heatshrink Tubing Normal Wall 2:1, Brown, 50.8mm | 1.2m        | PP002791    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 9.5mm  | 1.2m        | PP002750    | Heatshrink Tubing Normal Wall 2:1, Green, 1.2mm  | 1.2m        | PP002792    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 12.7mm | 1.2m        | PP002751    | Heatshrink Tubing Normal Wall 2:1, Green, 1.6mm  | 1.2m        | PP002793    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 19mm   | 1.2m        | PP002752    | Heatshrink Tubing Normal Wall 2:1, Green, 2.4mm  | 1.2m        | PP002794    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 25.4mm | 1.2m        | PP002753    | Heatshrink Tubing Normal Wall 2:1, Green, 3.2mm  | 1.2m        | PP002795    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 38.1mm | 1.2m        | PP002754    | Heatshrink Tubing Normal Wall 2:1, Green, 4.8mm  | 1.2m        | PP002796    |
| Heatshrink Tubing Normal Wall 2:1, Yellow, 50.8mm | 1.2m        | PP002755    | Heatshrink Tubing Normal Wall 2:1, Green, 6.4mm  | 1.2m        | PP002797    |
| Heatshrink Tubing Normal Wall 2:1, White, 1.2mm   | 1.2m        | PP002756    | Heatshrink Tubing Normal Wall 2:1, Green, 9.5mm  | 1.2m        | PP002798    |
| Heatshrink Tubing Normal Wall 2:1, White, 1.6mm   | 1.2m        | PP002757    | Heatshrink Tubing Normal Wall 2:1, Green, 12.7mm | 1.2m        | PP002799    |
| Heatshrink Tubing Normal Wall 2:1, White, 2.4mm   | 1.2m        | PP002758    | Heatshrink Tubing Normal Wall 2:1, Green, 19mm   | 1.2m        | PP002800    |
| Heatshrink Tubing Normal Wall 2:1, White, 3.2mm   | 1.2m        | PP002759    | Heatshrink Tubing Normal Wall 2:1, Green, 25.4mm | 1.2m        | PP002801    |

Newark.com/multicomp-pro  
Farnell.com/multicomp-pro  
sg.element14.com/b/multicomp-pro

**multicomp**PRO

# 2:1 Normal Wall Heatshrink Tubing **multicomp**PRO

| Description                                             | Reel Length | Part Number |
|---------------------------------------------------------|-------------|-------------|
| Heatshrink Tubing Normal Wall 2:1, Green, 38.1mm        | 1.2m        | PP002802    |
| Heatshrink Tubing Normal Wall 2:1, Green, 50.8mm        | 1.2m        | PP002803    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 1.2mm          | 1.2m        | PP002804    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 1.6mm          | 1.2m        | PP002805    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 2.4mm          | 1.2m        | PP002806    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 3.2mm          | 1.2m        | PP002807    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 4.8mm          | 1.2m        | PP002808    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 6.4mm          | 1.2m        | PP002809    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 9.5mm          | 1.2m        | PP002810    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 12.7mm         | 1.2m        | PP002811    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 19mm           | 1.2m        | PP002812    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 25.4mm         | 1.2m        | PP002813    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 38.1mm         | 1.2m        | PP002814    |
| Heatshrink Tubing Normal Wall 2:1, Grey, 50.8mm         | 1.2m        | PP002815    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 1.6mm  | 1.2m        | PP002816    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 2.4mm  | 1.2m        | PP002817    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 3.2mm  | 1.2m        | PP002818    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 4.8mm  | 1.2m        | PP002819    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 6.4mm  | 1.2m        | PP002820    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 9.5mm  | 1.2m        | PP002821    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 12.7mm | 1.2m        | PP002822    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 19mm   | 1.2m        | PP002823    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 25.4mm | 1.2m        | PP002824    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 38.1mm | 1.2m        | PP002825    |
| Heatshrink Tubing Normal Wall 2:1, Green/Yellow, 50.8mm | 1.2m        | PP002826    |

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro  
Farnell.com/multicomp-pro  
sg.element14.com/b/multicomp-pro

**multicomp**PRO